

1. [7 marks] Go to the course website, find the data section, and download the 'Lake Huron' dataset. Import this dataset into either R or MATLAB, and plot it with suitable axis labels and any other adjustments you feel are suitable. Fit a linear least-squares regression line to the data, and plot it over top of the original data (be sure to use a different colour). Compute  $\nabla X_t$  where  $X_t$  is the lake level data, and plot this as well.

2. [6 marks] Let  $\{Z_t\}$  be IID  $\mathcal{N}(0, 1)$  noise, and define

$$X_t = \begin{cases} Z_t, & \text{if } t \text{ is even,} \\ (Z_{t-1}^2 - 1)/\sqrt{2}, & \text{if } t \text{ is odd.} \end{cases}$$

(a) Show that  $\{X_t\}$  is WN(0, 1) but not IID(0, 1) noise.

(b) Find  $\mathbf{E}[X_{n+1} | X_1, \dots, X_n]$  for  $n$  odd and  $n$  even, and compare the results.

(this is problem 1.8 in your text)

3. [8 marks] Suppose  $\{a_t\}$  are IID RVs with mean 0 and variance  $\sigma^2$ , and define a stochastic process  $\{Y_t\}$  by  $Y_t = \mu + a_t + \frac{3}{4}a_{t-1}$ ,  $t = \dots, -1, 0, 1, 2, \dots$  where  $\mu$  is a constant. Find the mean, autocovariance function, and ACF of  $\{Y_t\}$ , and verify that  $\{Y_t\}$  is a stationary process. Also find the ACF of the process defined by  $Y_t = \mu + e_t + \frac{4}{3}e_{t-1}$ , where the  $e_t$  are IID with mean 0 and variance  $\sigma_e^2$ , and compare and comment on the ACFs of the two processes.

4. [5 marks] Show that a linear filter  $\{a_j\}$  passes an arbitrary polynomial of degree  $k$  without distortion, i.e. that

$$m_t = \sum_j a_j m_{t-j}$$

for all  $k^{\text{th}}$  degree polynomials  $m_t = c_0 + \sum_{i=1}^k c_i t^i$  iff

$$\begin{cases} \sum_j a_j = 1 & \text{and} \\ \sum_j j^r a_j = 0 & \text{for } r = 1, \dots, k. \end{cases}$$

(this is problem 1.12a in your text)

5. [4 marks] Review the Spencer 15-point moving average filter  $\{a_j\}$  (page 27, text), and show that it does not distort a cubic trend, i.e. that if  $m_t = c_0 + c_1 t + c_2 t^2 + c_3 t^3$ , then  $\sum_{i=-7}^7 a_i m_{t+i} = m_t$ .

---

(for graduate students, or undergraduates seeking extra credit)

6. [5 marks] Implement a function in your program of choice that takes a time series as input, and returns the first lag- $k$  autocovariance coefficients. Include an option to return autocorrelation coefficients as well. Hand in the function as a neatly formatted printout. Comment where necessary. *Preference is given for programs written in R or MATLAB.*

7. [7 marks] For the AR(1) process

$$x_t = \alpha x_{t-1} + \epsilon_t$$

where  $\{\epsilon_t\}$  is a sequence of independent, zero-mean, Gaussian random variables, and  $\alpha \in \mathbb{R}$ ,  $\alpha \in (-1, 1)$ , find:

1. The process variance  $\gamma_0 = \sigma_x^2 = \mathbf{E}[x_t^2]$
2. The lag-2 autocovariance  $\gamma_2 = \mathbf{E}[x_t x_{t+2}]$
3. The lag- $k$  autocorrelation  $\rho_k = \frac{\mathbf{E}[x_t x_{t+k}]}{\sigma_x^2}$
  
8. [4 marks] If  $m_t = \sum_{k=0}^p c_k t^k$ ,  $t = 0, \pm 1, \dots$ , show that  $\nabla m_t$  is a polynomial of degree  $(p - 1)$  in  $t$ , and hence that  $\nabla^{p+1} m_t = 0$ .